

Reach Electrical

Reach Electrical

Digital Thermometers



HOTTEMP Digital Thermometer HT-305 / HT-306

HOTTEMP Digital Thermometer is a handy, economical, compact thermometer which consistently provides high precision and accuracy regardless of environmental conditions. Designed to work effectively & continuously without much consumption of power. Assortments of temperature probes are available to accommodate different applications. [\[Product Details...\]](#)



HOTTEMP Digital Temperature Indicator HT610

People like digital because it's easy, compact and offers results almost immediately. Hottemp Digital Temperature Indicator is the simple, accurate, reliable way to handle displaying for temperature applications.

[\[Product Details...\]](#)



**Der Ee LCD Digital Thermometer (Non-Waterproof)
DE-20/DE-20W**

DE-20/DE-20W are small sized panel mounted digital temperature indicator ideally used for temperature display in a showcase. [\[Product Details...\]](#)



Der Ee LCD Digital Thermometer (Waterproof) DE-30/DE-30W

DE-30/DE-30W are small sized panel screw mounted digital temperature indicator with waterproof function which are ideally used for temperature display for refrigeration. [\[Product Details...\]](#)

DER EE®



Der Ee Wireless Digital Room Thermometer DE-31

Wireless Thermometer is the next generation thermometry that revolutionizes the way temperature is measured. DE-31 Wireless thermometers come with a main unit and wireless sensor transmitter for remote sensing. The temperature data is transmitted wirelessly, using a radio frequency signal, between the sensor and receiver unit. The display unit provides 2 digital reading for indoor and outdoor temperature and is complete with alarm for High or Low temperature setting. [\[Product Details...\]](#)

DER EE®



Der Ee Wireless K-type Thermometer DE-33

DE-33 Wireless thermometers come with a main unit and wireless 2 channels, type K thermocouple sensor transmitter for remote sensing. The temperature data is transmitted wirelessly, using a radio frequency signal, between the sensor and receiver unit. Using of Type K sensor increase the temperature range to max 1370°C. DE-33 display unit had dual display of temperature for 2 channel sensing with audible alarm mode for High Temperature Setting. [\[Product Details...\]](#)



Non-Contact Thermometers

Handheld infrared thermometers are designed for applications requiring users to instantly measure temperature in hard-to-reach areas where the object is hot, rapidly changing temperature, rotating, or in other dangerous situations (such as high voltage) which a contact thermometers are unable to meet the requirements therefore a infrared thermometer is the better solution. [\[Product Details...\]](#)



Der Ee Digital Thermo-Hygrometer DE-22

DE-22 digital humidity meter can simultaneously display temperature and humidity measurements. Internal sensors measure the ambient temperature and humidity levels in the area surrounding the meter. Additional features with auto recording highest and lowest (MAX / MIN) temperature and humidity, selectable temperature units, alarms when conditions are out of the desired range and time clock function. These humidity indicators include a built-in stand for sitting on a desktop or they can be wall-mounted to monitor area comfort levels. [\[Product Details...\]](#)

- « « Start
- « Prev
- 1
- Next »
- End »»

Results 1 - 8 of 8